

# Standard Cylinder

Double Acting, Single Rod / Double Rod

## Series SC, SCD, SCJ



◆ How to Order

SC 50 50 25 S LB

**Mounting style**

**SC Series**

Nil	LB	FA	FB	CA
CB	TC	TC-M		
Available only for $\Phi 40 - \Phi 100$				

**SCD Series**

Nil	LB	FA	TC	TC-M
Available only for $\Phi 40 - \Phi 100$				

**SCJ Series**

Nil	LB	FA	TC	TC-M
Available only for $\Phi 40 - \Phi 100$				

**Magnet**

Nil	Without magnet	S	Built-in magnet
-----	----------------	---	-----------------

**Adjustable stroke** (Only for SCJ Series)

25	25mm	50	50mm	75	75mm
----	------	----	------	----	------

**Cylinder stroke**

\* Refer to "Standard stroke" .

**Bore size (mm)**

32	40	50	63	80	100
----	----	----	----	----	-----

**Model**


SC	Double acting, single rod	SCD	Double rod type
SCJ	Adjustable stroke type		




SC Series

Symbol

SC□-□




SC□-□-**S**




SCD Series

Symbol

SCD□-□




SCD□-□-**S**




SCJ Series

Symbol

SCJ□-□-□



SCJ□-□-□-**S**



I

- CJP
- CJ1
- DNC
- DNCB
- DNG
- C95
- SI
- CS1
- MB
- SU
- SC
- DSNU
- C85
- CJ2
- CM2
- MA
- MAL
- ADVU
- CQ2
- CQS
- SDA
- CU
- DPZ
- CXS
- TN
- ADVUL
- CQM
- MGP
- MGG
- CRA1
- CY1B
- CS
- Auto switch
- D
- Auto switch
- AC,AD
- HR
- RB
- RBQ



